# Clearguard UVR - Part A



'maintenance made easv"

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE** OR PREPARATION AND THE COMPANY

**CLEARGUARD UVR - PART A** Product Name: Company Name: Polycote UK

Centre Point • Wolseley Road Woburn Road Industrial Estate Kempston • Beds MK42 7EF

Telephone Number: 01234 846400

**SECTION 2: HAZARDS IDENTIFICATION** 

Classification under CLP:

Aquatic Chronic 3: H412: Skin Sens. 1: H317.

Most important adverse effects:

May cause sensitisation by skin contact. Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

Hazard pictograms:



Signal word: Warning

Hazard statements: H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting

Precautionary statements:

P261: Avoid breathing dust/fumes/gas/mist/

vapours/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/. P321: Specific treatment (see instructions on this

label).

P333+313: If skin irritation or rash occurs: Get

medical attention.

PBT: This product is not identified as a PBT/vPvB

substance.

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS** 

**Chemical Name:** 

**EINECS** CAS No: Classification Percent 1,6-HEXANEDIYL-BIS(2-(2-(1-ETHYLPENTYL)-3-OXAZOLIDINYL)ETHYL)CARBAMATE

411-700-4 140921-24-0 Skin Sens. 1: H317 10 - 30% LOW BOILING POINT NAPHTHA - UNSPECIFIED - SOLVENT NAPHTHA (PETROLEUM),

LIGHT AROM.

265-199-0 64742-95-6 Asp. Tox. 1: H304; Flam. Liq. 3: 1 - 10%

H226; STOT SE 3: H335; Aquatic Chronic 2: H411

N-METHYL-2-PYRROLIDONE

Repr. 1B: H360D; Eye Irrit. 2: H319; 212-828-1 872-50-4

STOT SE 3: H335; Skin Irrit. 2: H315

**SECTION 4: FIRST AID MEASURES** 

Skin contact: Wash immediately with plenty of soap and water. Remove

all contaminated clothes and footwear immediately unless

Eye contact: Bathe the eye with running water for 15 minutes. Consult

a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water.

Inhalation: Remove casualty from exposure ensuring one's own safety

whilst doing so.

Most important symptoms and effects, both acute and delayed

There may be irritation and redness at the site of contact. Skin contact:

Eve contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and

throat.

Inhalation: No symptoms. Delayed / immediate effects:

Delayed effects can be expected after short-term

exposure.

Immediate / special treatment:

Eye bathing equipment should be available on the

**SECTION 5: FIRE FIGHTING MEASURES** 

Extinguishing media: Suitable extinguishing media for the surrounding

fire should be used. Use water spray to cool

containers.

Exposure hazards: In combustion emits toxic fumes.

Advice for firefighters: Wear self-contained breathing apparatus. Wear

protective clothing to prevent contact with skin

and eyes.

**SECTION 6: ACCIDENTAL RELEASE MEASURES** 

Personal precautions: Refer to section 8 of SDS for personal

protection details.

Environmental precautions: Do not discharge into drains or rivers.

Contain the spillage using bunding.

Absorb into dry earth or sand. Transfer to a Methods for cleaning up:

closable, labelled salvage container for

disposal by an appropriate method.

**SECTION 7:** HANDLING AND STORAGE

Handling: Ensure there is sufficient ventilation of the area. Avoid

direct contact with the substance.

Storage: Store in a cool, well ventilated area. Keep container tightly

closed.

Packaging: Must only be kept in original packaging.

Specific end use(s): PC9a: Coatings and paints, thinners, paint removers.

**SECTION 8: EXPOSURE CONTROLS** AND PERSONAL PROTECTION

Workplace exposure limits:

State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL

Hazardous ingredients: N-METHYL-2-PYRROLIDONE

Workplace exposure limits: Respirable dust

8 hour TWA 15 min. STEL 15 min. STEL State 8 hour TWA UK

40 mg/m<sup>3</sup> 80 mg/m<sup>3</sup>

Exposure controls: No data available.

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Nitrile gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Prevent from entering in public sewers or the Environmental:

immediate environment.

## Polycote Clearguard UVR – Part A Cont.

## **SECTION 9: PHYSICAL & CHEMICAL PROPERTIES**

State: Liquid Colour: Pale yellow Odour: Perceptible odour

Boiling point: >35°C Flash point: >93°C

Relative density: 1.01 - 1.04 g.cm<sup>3</sup>

Viscosity: Viscous Solubility: Miscible VOC (Volatile organic compounds): 77 g/l

## **SECTION 10:** STABILITY AND REACTIVITY

Reactivity: Stable under recommended transport or storage

conditions.

Chemical stability: Stable under normal conditions.

Hazardous reactions: Hazardous reactions will not occur under normal

transport or storage conditions.

Conditions to avoid: Heat.

Materials to avoid: Strong bases. Strong oxidising agents. Amines.

Haz. decomp. products: In combustion emits toxic fumes.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## Hazardous ingredients:

N-METHYL-2-PYRROLIDONE

ORL MUS LD50 5130 mg/kg ORI RAT LD50 7 gm/kg >2 gm/kg SCU **RAT** LD50

LOW BOILING POINT NAPHTHA - UNSPECIFIED - SOLVENT NAPHTHA

(PETROLEUM), LIGHT AROM.

8400 mg/kg ORL RAT LD50

Relevant effects for mixture:

**Fffect** Route Basis

Sensitisation DRM Hazardous: calculated

Symptoms / routes of exposure:

Skin contact: There may be irritation and redness at the site of contact. Eye contact:

There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and

throat.

Inhalation: No symptoms.

Delayed / immediate effects: Delayed effects can be expected after short-

term exposure.

## **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity values: No data available. Mobility: No data available.

PBT identification: This product is not identified as a PBT/vPvB

substance.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Transfer to a suitable container and arrange for Disposal operations:

collection by specialised disposal company.

Disposal of packaging: Dispose of in a regulated landfill site or other

method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible

existence of regional or national regulations

regarding disposal.

## SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

## SECTION 15: REGULATORY INFORMATION

No information available.

#### SECTION 16: OTHER INFORMATION

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

## Phrases used

in s.2 and s.3: H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H360D: May damage the unborn child.

H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

All the foregoing information should be regarded as being applicable to the uncured mixed product as well as to the individual components.

This material may form part of a multi component pack, and is supplied in the correct proportions for that pack. Please check all of the product labels to ensure that the correct components and pack sizes are being used. Select and use appropriate pack sizes to minimise waste and operator exposure, do not split packs. Use in batch order.

The Safety Data above is applicable to the product only as used according to the purposes and methods described on the relevant Technical Data Sheet, available from Polycote UK on request.

The information above is based on our present knowledge and is believed to be correct but does not purport to be all inclusive and should only be used as a guide. No warranty is implied with respect to the specification of the product. It is intended to describe the product solely in terms of its safety requirements and relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. This data does not constitute the users own assessment of workplace risk as required by other Health and Safety legislation, nor is it a sales specification or indication of suitability for any particular use. The user must satisfy himself as to the suitability of the product for his purpose. No legally valid contractual relationship is established by the above data, and Polycote UK shall not be held liable for any damage resulting from handling or from contact with the above product.

Date of Issue: June 2015

## **Polycote UK**

Centre Point • Wolseley Road • Woburn Road Industrial Estate Kempston · Beds · MK42 7EF

Technical Helpline: 01234 846400



"maintenance made easv"

# **Clearguard UVR - Part B**



"maintenance made easv"

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE** OR PREPARATION AND THE COMPANY

**CLEARGUARD UVR - PART B** Product Name:

Company Name: Polycote UK

Centre Point • Wolseley Road Woburn Road Industrial Estate Kempston • Beds MK42 7EF

Telephone Number: 01234 846400

**SECTION 2: HAZARDS IDENTIFICATION** 

Classification under CLP:

Acute Tox. 4: H302; Eye Dam. 1: H318

Most important adverse effects:

Harmful if swallowed. Risk of serious damage to

eyes.

Hazard pictograms:

Signal word: Danger

Hazard statements: H302: Harmful if swallowed.

H318: Causes serious eye damage.

Precautionary statements:

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P301+312: IF SWALLOWED: Call a POISON

CENTER/doctor/ if you feel unwell.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor/.

P330: Rinse mouth.

PBT: This product is not identified as a PBT/vPvB

substance.

**COMPOSITION / INFORMATION SECTION 3:** 

**ON INGREDIENTS** 

**Chemical Name:** 

**EINECS** CAS No: Classification Percent

POLYAMINE -EPOXY RESIN ADDUCT

Acute Tox. 4: H302; 10 -30% Eye Dam. 1: H318

**SECTION 4: FIRST AID MEASURES** 

Skin contact: Wash immediately with plenty of soap and water. Remove

all contaminated clothes and footwear immediately unless

stuck to skin.

Eye contact: Bathe the eye with running water for 15 minutes. Consult

Ingestion: Do not induce vomiting. Wash out mouth with water. Inhalation: Remove casualty from exposure ensuring one's own safety

whilst doing so.

Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

May cause permanent damage. Eve contact:

Ingestion: There may be soreness and redness of the mouth and

throat.

Inhalation: May cause respiratory tract burns.

Delayed / immediate effects:

Delayed effects can be expected after short-term

exposure.

Immediate / special treatment:

Eye bathing equipment should be available on the

premises.

**SECTION 5: FIRE FIGHTING MEASURES** 

Extinguishing media: Suitable extinguishing media for the surrounding

fire should be used. Use water spray to cool

Exposure hazards: In combustion emits toxic fumes.

Advice for firefighters: Wear self-contained breathing apparatus. Wear

protective clothing to prevent contact with skin

and eyes.

**SECTION 6: ACCIDENTAL RELEASE MEASURES** 

Refer to section 8 of SDS for personal Personal precautions:

protection details.

Environmental precautions: Do not discharge into drains or rivers.

Contain the spillage using bunding.

Methods for cleaning up: Absorb into dry earth or sand. Transfer to a

closable, labelled salvage container for

disposal by an appropriate method.

**SECTION 7: HANDLING AND STORAGE** 

Ensure there is sufficient ventilation of the area. Avoid Handling:

direct contact with the substance.

Store in a cool, well ventilated area. Keep container tightly Storage:

closed.

Must only be kept in original packaging. Packaging:

Specific end use(s): PC9a: Coatings and paints, thinners, paint removers.

**SECTION 8: EXPOSURE CONTROLS** 

**AND PERSONAL PROTECTION** 

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Nitrile gloves. Hand protection:

Eye protection: Ensure eye bath is to hand. Safety goggles.

Protective clothing. Skin protection:

Environmental: Prevent from entering in public sewers or the

immediate environment.

**SECTION 9: PHYSICAL & CHEMICAL PROPERTIES** 

State: Liquid Colour: Amber Odour: Amine-like >35°C Boiling point: >93°C Flash point:

compounds):

Relative density: 1.01 - 1.04 g/cm3 Viscosity: Non-viscous Solubility: Miscible VOC (Volatile organic

3 g/l

**SECTION 10:** STABILITY AND REACTIVITY

Reactivity: Stable under recommended transport or storage

conditions.

Chemical stability: Stable under normal conditions.

Hazardous reactions: Hazardous reactions will not occur under normal

transport or storage conditions.

Conditions to avoid: Heat.

Materials to avoid: Reducing agents. Amines. Bases. Oxidising

agents.

In combustion emits toxic fumes. Haz. decomp. products:

# Polycote Clearguard UVR - Part B Cont.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Relevant effects for mixture:

Effect Route Basis

Acute toxicity (harmful) ING Hazardous: calculated Irritation OPT Hazardous: calculated Toxicity for reproduction Hazardous: calculated

Symptoms / routes of exposure:

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and

throat.

Inhalation: May cause respiratory tract burns.

Delayed / immediate effects: Delayed effects can be expected after short-

### **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity values: No data available Bioaccumulative potential: No data available.

Mobility: Do not let product contaminate sub soil. PBT identification: This product is not identified as a PBT/vPvB

substance.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Dispose of in a regulated landfill site or other

method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible

existence of regional or national regulations

regarding disposal.

## **SECTION 14:** TRANSPORT INFORMATION

Non-hazardous for transport purposes.

## **SECTION 15: REGULATORY INFORMATION**

No information available.

## **SECTION 16:** OTHER INFORMATION

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

Phrases used

in s.2 and s.3: H302: Harmful if swallowed. H318: Causes serious eye damage.

All the foregoing information should be regarded as being applicable to the uncured mixed product as well as to the individual components.

This material may form part of a multi component pack, and is supplied in the correct proportions for that pack. Please check all of the product labels to ensure that the correct components and pack sizes are being used. Select and use appropriate pack sizes to minimise waste and operator exposure, do not split packs. Use in batch order.

The Safety Data above is applicable to the product only as used according to the purposes and methods described on the relevant Technical Data Sheet, available from Polycote UK on request.

The information above is based on our present knowledge and is believed to be correct but does not purport to be all inclusive and should only be used as a guide. No warranty is implied with respect to the specification of the product. It is intended to describe the product solely in terms of its safety requirements and relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. This data does not constitute the users own assessment of workplace risk as required by other Health and Safety legislation, nor is it a sales specification or indication of suitability for any particular use. The user must satisfy himself as to the suitability of the product for his purpose. No legally valid contractual relationship is established by the above data, and Polycote UK shall not be held liable for any damage resulting from handling or from contact with the above product.

Date of Issue: June 2015



Centre Point • Wolseley Road • Woburn Road Industrial Estate Kempston · Beds · MK42 7EF

Technical Helpline: 01234 846400



"maintenance made easv"