824 0100

Rooflex Sealant



"maintenance made easy"

SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY

Product Name: ROOFLEX SEALANT

Company Name: Polycote UK

Centre Point • Wolseley Road Woburn Road Industrial Estate Kempston • Beds MK42 7EF

Telephone Number: 01234 846400

SECTION 2: HAZARDS IDENTIFICATION

Classification under CLP:

Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Hazard pictograms:

⇕

Signal word: Warning

Hazard statements: H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Precautionary statements:

P280: Wear protective gloves. P280: Wear eye protection.

P337+P313 If eye irritation persists: Get medical

advice/attention.

Contains: 3-(2-AMINOETHYLAMINO)-PROPYLTRIMETHOXYSILANE,

DIOCTYLTINBIS(ACETYLACETONATE)

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name

CAS No.	EC No.	Classification	Conc.
TRIMETHOXY VINYLSILANE			
2768-02-7	220-449-8	Flam. Liq. 3 - H226	1-5%
		Acute Tox. 4 - H332	
3-(2-AMINOETHYLAMINO)-PROPYLTRIMETHOXYSILANE			_
1760-24-3	217-164-6	Acute Tox. 4 - H332;	1-5%
		Eye Dam. 1 - H318;	
		Skin Sens. 1 - H317	
DIOCTYLTINBIS(ACETYLACETONATE)			
54068-28-9	483-270-6	Skin Sens. 1 - H317	<1%
		STOT SE 2 - H371	

The Full Text for all Hazard Statements are displayed in Section 16.

SECTION 4: FIRST AID MEASURES

General: In all cases of doubt, or if symptoms persist, seek medical

attention. Never give anything by mouth to an unconscious

person.

Inhalation: If inhalation causes adverse effects, remove to fresh air. Ingestion: Rinse mouth thoroughly with water. Give plenty of water to

drink. Give milk instead of water if readily available. DO NOT induce vomiting. Get medical attention immediately.

Skin contact: Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues. In the event of any sensitisation symptoms developing, ensure further

exposure is avoided.

Eye contact: Remove any contact lenses and open eyelids wide apart.

Continue to rinse for at least 15 minutes. Get medical

attention if any discomfort continues.

Most important symptoms and effects, both acute and delayed

Ingestion: May cause discomfort if swallowed.

Skin contact: Allergic rash.

Eye contact: Causes serious eye irritation.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing media: Water spray, fog or mist. Foam, carbon

dioxide or dry powder.

Unsuitable media: Do not use water jet as an extinguisher, as

this will spread the fire.

Haz. combust. products: Oxides of carbon. Thermal decomposition or

combustion may liberate carbon oxides and other toxic gases or vapours.

Specific hazards: Oxides of carbon. Oxides of nitrogen. No

unusual fire or explosion hazards noted.

Protective measures in fire: Wear positive-pressure self-contained

breathing apparatus (SCBA) and appropriate $\,$

protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear appropriate protective clothing. Avoid

contact with eyes and skin.

Environmental precautions: Do not discharge into drains, watercourses or

onto the ground.

Spill clean up methods: Collect and place in suitable waste disposal containers and seal securely. Clean any

containers and seal securely. Clean any slippery coating that remains using a detergent/soap solution or other

biodegradable cleaner.

SECTION 7: HANDLING AND STORAGE

Usage precautions: Avoid spilling. Avoid contact with skin and eyes.

Persons susceptible to allergic reactions should not handle this product. Good personal hygiene

procedures should be implemented.

Storage precautions: Store in tightly-closed, original container in a dry,

cool and well-ventilated place.

Usage description: Gunnable sealant.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Protective equipment:





Engineering measures: No specific ventilation requirements.

Eye/face protection: Wear eye protection. Personal protective

equipment for eye and face protection should comply with European Standard EN166.

Hand protection: Use protective gloves. The most suitable glove

should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the

glove material.

Hygiene measures: Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash

promptly with soap and water if skin becomes

contaminated.

Polycote Rooflex Sealant Cont.

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

Appearance: Paste

Colour: Black / grey / white

Odour: Mild

Relative density: 1.44 – 1.54 (g/ml) @ +20°C Viscosity: 6,000 – 10,000 Ps @ +20°C

Solubility: Insoluble in water Flash point: Not determined Auto ignition temp: ~400°C

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable under normal temperature conditions and

recommended use.

Conditions to avoid: Avoid excessive heat for prolonged periods of

time.

Haz. decomp. products: Thermal decomposition or combustion may

liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity - inhalation

ATE inhalation (gases ppm) 165,782.4933687
ATE inhalation (vapours mg/l) 405.2460949
ATE inhalation (dusts/mists mg/l) 55.26083112
Skin corrosion/irritation: Causes eye irritation.

Skin sensitisation: The product contains small amounts of

sensitsing substances which may cause an allergic reaction in sensitive individuals.

Inhalation: No specific health warnings noted.
Ingestion: May cause discomfort if swallowed.
Skin contact: May cause sensitisation by skin contact.

Eye contact: Causes serious eye irritation.

Toxicological information on ingredients.

TRIMETHOXY VINYLSILANE

Acute toxicity - oral Notes (oral LD_{s0}) LD_{s0} 7120 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD_{50}) LD_{50} 3434 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation
(LC_{so} vapours mg/l)

Species

Rat

ATE inhalation

(vapours mg/l) 16.0

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: In cross-linked state not soluble in water. Easily separable

from water by filtration.

Ecological information on ingredients.

TRIMETHOXY VINYLSILANE

Acute toxicity - fish LC_{80} , 96 hours: >=100 mg/l, Brachydanio rerio

(Zebra Fish)

LC₈₀, 96 hours: 191 mg/l, Onchorhynchus mykiss

(Rainbow trout)

Acute toxicity - aquatic

invertebrates

 EC_{80} , 48 hours: 168.7 mg/l, Daphnia magna

Acute toxicity - aquatic

plants EC_{so} , 7

EC₈₀, 72 hours: >100 mg/l, Freshwater algae

3-(2-AMINOETHYLAMINO)-PROPYLTRIMETHOXYSILANE

Acute toxicity - fish LC₈₀, 96 hours: 597 mg/l, Brachydanio rerio

(Zebra Fish)

Acute toxicity - aquatic

invertebrates EC₈₀, 48 hours: 81 mg/l, Daphnia magna

Acute toxicity - aquatic

olants IC₅₀, 72 hours: 5.5mg/l mg/l, Algae

SECTION 13: DISPOSAL CONSIDERATIONS

General info: Waste is classified as hazardous waste. Dispose of

waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal

Authority.

Disposal methods: Collect and place in suitable waste disposal

containers and seal securely.

Waste Class: HP4 Irritant HP13 Sensitising Recommended EWC

Code 08 04 09*

SECTION 14: TRANSPORT INFORMATION

General: The product is not covered by international regulation on

the transport of dangerous goods (IMDG, IATA, ADR/RID).

SECTION 15: REGULATORY INFORMATION

EU legislation Regulation (EC) 1907/2006 REACH (as amended).

Regulation (EC) 1272/2008 CLP (as amended).

Guidance Workplace Exposure Limits EH40.

SECTION 16: OTHER INFORMATION

Hazard statements: H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H371 May cause damage to organs if swallowed. H411 Toxic to aquatic life with long lasting effects.

The Safety Data above is applicable to the product only as used according to the purposes and methods described on the relevant Technical Data Sheet, available from Polycote UK on request.

The information above is based on our present knowledge and is believed to be correct but does not purport to be all inclusive and should only be used as a guide. No warranty is implied with respect to the specification of the product. It is intended to describe the product solely in terms of its safety requirements and relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. This data does not constitute the users own assessment of workplace risk as required by other Health and Safety legislation, nor is it a sales specification or indication of suitability for any particular use. The user must satisfy himself as to the suitability of the product for his purpose. No legally valid contractual relationship is established by the above data, and Polycote UK shall not be held liable for any damage resulting from handling or from contact with the above product.

Date of Issue: June 2017

Polycote UK

Centre Point • Wolseley Road • Woburn Road Industrial Estate

Kempston • Beds • MK42 7EF Technical Helpline: 01234 846400



"maintenance made easy"